



JINDALI PACKING MACHINERY CO.,LTD

CONTACT: JASON ZHU

Item: CT300

TEL:0768-5923098 FAX:0768-6618608

MOBILE NO.: 86-13926173325

ADD: NO.1, intersection of Mianzhu and Anna Road, ANBU CHAOZHOU, Guangdong, China

EMAIL: SALEZHU@CAJDL.COM

ITEM: CT300 SHRINK SLEEVE CUTTING MACHINE

Technical Parameters	
Top Speed	<40m/min
Max. Width (Final Product)	280mm
Min. Width (Final Product)	30mm
Max. Unwind Width	280mm
Max.Unwind Diameter	Φ 1000 mm
Highest Beat	<500P/min

Machine Parameters	
Power Supply	AC200v~240 50/60Hz
Power	Rated power:8kw
Pressure	>0.4 mpa
Air Consumption	<2L/min
Equipment Dimension	2200 mm×850 mm×1100 mm

System Function

Specify Length Cut	YES
Sensor Tracking Color Cut	YES
Calculate The Number Of Cuts	YES
Batch Suspension	YES
Unwind EPC	YES
Automatic Fuel Supply	YES
Electrostatic Eliminator	YES

Detailed Specification List	
Unwind Tension Control	Qianxin
Feeding Motor Drive	ADL
Traction Driver	Hpmont
Color Sensor	Panasonic
Main Motor	Hpmont
Controller	WXDC
HMI	FLEXEM
Electrostatic Eliminator	Yanpin
EPC	KRD
Power Supply	MEAN WELL

Machine Specification	
Rectify Deviation Controlling	EPC
Cutting Method	Upper And Down Knife Cutting

Location Recognition Method	Sensor
Refueling Method	Automatic Fuel Supply
Punching Method	Air Pressure

PHOTO

